

Home Librarian
A Computerized Librarian System
User Manual

Robert Heller
Deepwoods Software
Wendell, MA, USA

June 25, 2010

This documentation was prepared with L^AT_EX.

This document describes version 3.0 of the Home Librarian package.

Copyright ©1997-2010 by Robert Heller D/B/A Deepwoods Software

All rights reserved. Permission is granted to copy this document in electronic form only, so long as it is with the software it documents.

Robert Heller

Deepwoods Software

51 Locke Hill Road

Wendell, MA 01379

Telephone: 978-544-6933

E-Mail: heller@deepsoft.com

Web site URL: <http://www.deepsoft.com/>

Contents

Preface	vii
1 Introduction	1
1.1 What Is the <i>Home Librarian System</i> ?	1
1.1.1 Basic Terminology	1
1.2 How this Manual Is Organized	1
2 Reference Manual	3
2.1 Database Structure	3
2.2 Main GUI Window	3
2.2.1 Buttons on the main window	6
2.3 Searching a database (card catalog)	8
2.3.1 Types of searches	8
2.3.2 Search results and what to do with them	8
2.3.3 The notepad area	8
2.4 Updating a database (card catalog)	8
2.4.1 Editing a card by its key	10
2.4.2 Editing a card by searching for it	10
2.4.3 Searching Amazon's database	10
2.5 Dialog Boxes	10
2.5.1 Get Connection String Dialog	10
2.5.2 Select A Template Dialog	11
2.5.3 Edit Template	11
2.5.4 Edit Card	11
2.5.5 Get New Key Dialog	12
2.5.6 Get New Card Template Or Amazon URL Dialog	12
2.5.7 Import Dialog	12
2.5.8 Select Printer Dialog	12

2.5.9	Select A Layout Dialog	12
2.5.10	Edit Layout Text Tool Dialog	12
2.5.11	Edit Layout Line Tool Dialog	12
2.5.12	Edit Layout Rect Disk Tool Dialog	13
2.5.13	Edit Layout Bitmap Tool Dialog	13
2.5.14	Edit Layout Resize Tool Dialog	13
2.5.15	Edit Layout	13
2.5.16	Print Progress	13
2.5.17	More Info Window	13
2.5.18	View Amazon Data	13
3	Tutorial	15
3.1	Connecting to a database	15
4	Help	25
	Version	27
	Copying	29
	Warranty	37

List of Figures

2.1	The main window of the Home Librarian application	5
2.2	Card Catalog Drawer	5
2.3	Main Window, annotated.	6
2.4	Search Window, annotated.	7
2.5	Update Window, annotated.	9
2.6	Edit Card Window, annotated.	11
3.1	Get Connection String Dialog box	16
3.2	Get Connection String Dialog box, with connection string filled in	17
3.3	(Re-)Create the database question box	17
3.4	Amazon search results for 1-56592-183-6	18
3.5	Entering a new key	19
3.6	Initialized card for Java in a Nutshell	19
3.7	edited card for Java in a Nutshell	20
3.8	Searching for keyword “java”	22
3.9	More information about Java-Flanagan-1	23

List of Tables

2.1 Data fields in the “Card” table. 4

Preface

The *Home Librarian* system maintains a database of “cards”, which describe books, magazines, video and audio tapes, CDs, record albums, laser disks, and other similar items. Version 3 of the system uses a relational database back-end (such as PostgreSQL, MySQL, SQL Server, or SQLite). It connects to the back-end database via a ODBC driver library, so any back-end database system that has a ODBC driver library can be used. The system uses two database tables, a table of cards and a table of keywords. The system also hooks into Amazon’s database using Amazon Web Services.

This version of the *Home Librarian* system is written entirely in Tcl¹ and there is no longer any C or C++ code. The system is also built using Starpacks, so there is no need to install any system support software either, since the executable program is completely self contained.

If you have *any* comments about this package, please let me know. My contact information is shown on the back side of the title page. I would be very interested in any comments users of the *Home Librarian* package might have.

Robert Heller
Deepwoods Software
Wendell, MA, USA
June, 2010

¹It does use some standard C coded extensions.

Chapter 1

Introduction

1.1 What Is the *Home Librarian* System?

1.1.1 Basic Terminology

The *Home Librarian* package uses a database of “cards” that concisely describe items in your library, such as books, magazines, records, and tapes. The cards contain information such as the title of the item, the author (or performer) of the material, the publisher, the date of publication, and so on. The cards can be search by their unique keys, or by title, author, or subject. There is also a keyword table that associates keywords with cards.

1.2 How this Manual Is Organized

There are two main chapters, the Chapter /refchpt:Reference is the Reference Manual and Chapter /refchpt:Tutorial is the Tutorial.

Chapter 2

Reference Manual

2.1 Database Structure

Each card uses string of up to 36 characters as a unique key. Cards are indexed by key, title, author, and subject. The keys, titles, authors, and subjects are always compared in a case-insensitive fashion. That is, "The Door Into Summer" is the same as "THE DOOR INTO SUMMER". Internally, the keys, titles, authors, and subjects are converted to all uppercase letters. There is also a keyword table that associates keywords (search terms) with each card.

Each card contains thirteen (13) pieces of data as shown in Table 2.1. The keyword table consists of two data fields, a 64 character keyword and a 36 character card key.

2.2 Main GUI Window

The main window of the Home Librarian application, as shown in Figure 2.1, has a progress and status section at the top of the GUI¹, consisting of a “face” area and a progress and status area. The face area holds either a forward facing librarian image, when the GUI is idle and waiting for user input or a right profile when the application is working and not accepting input from the user. The status and progress either holds the message “How May I Help You?” or some sort of status message, usually detailing the number of matches found when searching, when the application is idle. When the application is working an animation of a

¹Below the attached menu bar.

Name	Type	Description
Key	CHAR(36)	Unique key identifying the item. This is an arbitrary identifier and could be a LC catalog code or some other user-defined identifier. Each card has a unique value for this field.
Title	CHAR(128)	The title or name of the item.
Author	CHAR(64)	The author of the item. This could be the name of the performer for audio CDs.
Subject	CHAR(128)	The subject of the item. What this item is generally about.
Description	TEXT	The description of the item. This is unstructured text and can be whatever you want.
Location	CHAR(36)	The location of the item. This is generally used to note the physical location of the item, such as a particular book self or the fact that it is out on loan, etc.
Category	CHAR(36)	The category of the item. Some user defined category.
Media	CHAR(36)	The media the item is on. The type of media of the item, such as hardbound book, or audio CD.
Publisher	CHAR(36)	The publisher of the item. The publisher or producer of the item.
PubLocation	CHAR(36)	The location of the publisher. The publisher's location (usually just the city).
PubDate	DATE	The date the item was published. The publication date.
Edition	CHAR(36)	The edition of the item. Whether this is a first edition or a second edition, etc.
ISBN	CHAR(20)	The ISBN of the item. If the item has one.

Table 2.1: Data fields in the “Card” table.




Figure 2.1: The main window of the Home Librarian application




Figure 2.2: Card Catalog Drawer

card catalog drawer being opened and flipped through is displayed, as shown in Figure 2.2.




Figure 2.3: Main Window, annotated.

Below the progress and status section is the main interaction area. Initially, this contains three big buttons giving access to the major functions of the application, as shown in Figure 2.3.

2.2.1 Buttons on the main window

There are two main functions supplied by the application: searching a card catalog database, described in Section 2.3 and editing a card catalog database, described in Section 2.4. The top most button in the initial (and idle) state of the main GUI selects the searching function. The next button selects the editing (update) function. The bottom button exits the application. All of these operations are available from the File menu item as well, along with some additional operations.




Figure 2.4: Search Window, annotated.

2.3 Searching a database (card catalog)

The Search function version of the Main GUI Window is shown in Figure 2.4. This version of the main window has a dropdown menu to select the search mode, a place for entering a search string, a search results list box, a set of search results disposition buttons, a notepad (text) area for making notes, and a set of buttons to manage the notepad area.

2.3.1 Types of searches

There are four types of searches, by title, by author, by subject, and by keyword. The search strings are considered SQL “LIKE” patterns. Like patterns use two wildcard characters: “%”, which matches any zero or more characters and “_” which matches exactly one character. The four search fields are stored in the database as all uppercase and the search string is itself converted to upper case, so the search is always performed in a case insensitive manor.

2.3.2 Search results and what to do with them

The search results are displayed as a list below the search string. These list elements can be selected and either added to the notepad area (and then printed or saved as a text file) or more information (the complete card record) can be requested.

2.3.3 The notepad area

The notepad area below the search results can be used to save selected result items and its contents can be printed, saved as a text file, or cleared.

2.4 Updating a database (card catalog)

The Update function version of the Main GUI Window is shown in Figure 2.5. This version of the main window has a place to enter a card key to edit, a dropdown menu to select the search mode, a place for entering a search string, a search results list box, a set of search results disposition buttons, and an Amazon search pane to get Amazon information about items in your library.




Figure 2.5: Update Window, annotated.

2.4.1 Editing a card by its key

Entering a card key and clicking on `Edit Card` will edit either an existing card (if the key is in use) or create a new card (if the key is not in use). The card editor window is shown in Figure 2.6. If this is a new card, the “Get New Card Template Or Amazon URL Dialog”, described in Section 2.5.6 is displayed. See Section 2.5.4 for more information about the card editor window.

2.4.2 Editing a card by searching for it

A search can be performed to find a card to edit. The searching is much the same as described in Section 2.3.1. Cards found by searching can be either edited or deleted.

2.4.3 Searching Amazon’s database

Amazon’s huge database of books, audio tapes, CDs, video tapes, and DVDs can be searched with the lower half of the update window. Result elements can be used to create new cards or used to provide information for existing cards. Amazon’s database can be searched entering search terms and selecting what type of items to look for, this includes books, music, video, CDs, and DVDs. It is also possible to use an ISBN or ASIN to look up a specific item. The search results are listed below the search entries and these items can be selected and used to create a new card or to just view the information in a new window (see Section 2.5.18).

2.5 Dialog Boxes

2.5.1 Get Connection String Dialog

This dialog box creates the connection string needed to connect to the database via the ODBC API. The dialog shows lists of the available drivers and available datasources. Either a datasource can be used directly or a connection string can be created from an available driver. One of the possible configuration files can be used to store the connection string for future invocations of the Home Librarian program.

2.5.2 Select A Template Dialog

This dialog box selects a template card.

2.5.3 Edit Template

This window edits a template card.

2.5.4 Edit Card




Figure 2.6: Edit Card Window, annotated.

The card editor window, shown in Figure 2.6, contains a collection of basic informational fields in its upper section, with a field containing descriptive text. Near the bottom is a section containing the keywords associated with this card, along with a set of controls for adding and deleting keywords. At the very bottom are buttons for saving the card, dismissing the card editor, and for getting help.

The short fields in the upper section are a standard collection of information fields, including the card identification (its unique key), title, the author, the subject, the location, the category, the media, the publisher, the edition, and the ISBN or ASIN of the item. Except for the identification field, all of the fields can be

edited. The title, author, and subject fields are converted to all upper case letters for easy searching. The descriptive text is free form text that describes the item. The keywords can be any usefull search terms of your choosing. Keywords can be added or deleted. The keywords are converted to all uppercase letters for easy searching.

2.5.5 Get New Key Dialog

This dialog box gets a new key.

2.5.6 Get New Card Template Or Amazon URL Dialog

This dialog selects either a template or gets data from Amazon to initialize a new card.

2.5.7 Import Dialog

This dialog box selects a file and mode for data import.

2.5.8 Select Printer Dialog

This dialog box is used to select a printer or Postscript output file. The print format and other output details are also selected with this dialog box.

2.5.9 Select A Layout Dialog

This dialog box selects a print layout, either from the layout cache or from a disk file.

2.5.10 Edit Layout Text Tool Dialog

This tool dialog box is used to create a text item in a card layout.

2.5.11 Edit Layout Line Tool Dialog

This tool dialog box is used to create a line item in a card layout.

2.5.12 Edit Layout Rect Disk Tool Dialog

This tool dialog box is used to create a rectangle or disk item in a card layout.

2.5.13 Edit Layout Bitmap Tool Dialog

This tool dialog box is used to create a bitmap item in a card layout.

2.5.14 Edit Layout Resize Tool Dialog

This tool dialog box is used to resize an existing item in a card layout.

2.5.15 Edit Layout

This window provides for editing a card layout.

2.5.16 Print Progress

This window shows the print progress of either text output or cards.

2.5.17 More Info Window

This window shows more information about a selected card.

2.5.18 View Amazon Data

Chapter 3

Tutorial

3.1 Connecting to a database

The Home Librarian uses a database “back end” to store the card records. It is possible to use one of several different database systems, including PostgreSQL, MySQL, Sqlite, SQL Server, and others. All you need is a ODBC driver library installed. The Home Librarian attempts to connect to a database on startup. It reads in one of a set of configuration files for a connection string. If it does not find either the configuration files or if there isn’t a valid connection string in these files, it will prompt for a connection string using a “Get Connection String Dialog” (described in Section 2.5.1). A typical “Get Connection String Dialog” box is shown in Figure 3.1. In Figure 3.2 is a “Get Connection String Dialog” with a connection string filled in. Selecting “OK” will connect to the database.

When you connect to a new database or a database never before used with the Home Librarian program, a dialog box prompting confirmation to (re-)create the database is displayed, as shown in Figure 3.3.

Once connected to a database, it is now possible to add cards to the database, using the “Update Library” function. One way to add cards is to search on Amazon for information about items in your library. For example if the book “Java in a Nutshell” with ISBN number 1-56592-183-6, you can perform the search shown in Figure 3.4. We can now highlight the search result and create a card from it. We are prompted for a new key to uniquely identify this item, as shown in Figure 3.5. We now have a new card record with most of its fields filled out from the Amazon data, shown in Figure 3.6. After a bit of editing, the card editor looks like Figure ???. The Subject, Location, and Category fields have been filled in.




Figure 3.1: Get Connection String Dialog box




Figure 3.2: Get Connection String Dialog box, with connection string filled in




Figure 3.3: (Re-)Create the database question box



Figure 3.4: Amazon search results for 1-56592-183-6





Figure 3.5: Entering a new key



Editing card for Java-Flanagan-1

Editing card for Java-Flanagan-1

Identification: Java-Flanagan-1

Title: Java in a Nutshell: A Desktop Quick Reference for Java Programmers (Nutshell Handbook)

Author: David Flanagan

Subject:

Location:

Category:

Media: Paperback, Book

Publisher: O'Reilly Media **of** **on** 1996-03-01

Edition: 1

ISBN/ASIN: 1565921836

Condition New
DeliveryMethod Ship
IdType ASIN
MerchantId Amazon
OfferPage 1
ReviewPage 1
DetailPageURL
<http://www.amazon.com/Java-Nutshell-Reference-Programmers-Handbooks/dp/1565921836%3FSubscriptionId%3D0XD7CD0X605QAPH28A02%26tag%3Dws%26linkCode%3Dxm2%26camp%3D2025%26creative%3D165953%26creativeASIN%3D1565921836>
SmallImage
SmallImage

Keyword:

Add Keyword **Delete Keyword**

Save **Dismiss** **Help**

Figure 3.6: Initialized card for Java in a Nutshell

Editing card for Java-Flanagan-1

Editing card for Java-Flanagan-1

Identification: Java-Flanagan-1

Title: Java in a Nutshell: A Desktop Quick Reference for Java Programmers (Nutshell Handt

Author: David Flanagan

Subject: Java

Location: Computer Shed

Category: Computer Programming Language

Media: Paperback, Book

Publisher: O'Reilly Media **of** **on** 1996-03-01

Edition: 1

ISBN/ASIN: 1565921836

DeweyDecimalNumber 005.133
 NumberOfPages 460

A good reference for those already experienced in Java

Much like "Webmaster in a Nutshell", this book is a reference and should not be bought as a learning tool. Perhaps if you have spent years in C, this would provide a quick evaluation of the similarities and differences between the two. Otherwise, the first few chapters are an inadequate introduction to the language. In short, this is the book to get when you want to reference something you have already learned, not the place to begin learning it. That said, you might find it worthwhile to check out ORA's more in-depth volumes detailing specific aspects of

Java
Computer language
programming

Keyword: programming

Add Keyword **Delete Keyword**

Save **Dismiss** **Help**

Figure 3.7: edited card for Java in a Nutshell

The Descriptive text has been trimmed, and a collection of keywords added.

We can now save this card in the database by clicking on the “Save” button. We now have a database with this card in it. We can now perform some searches using the search screen.

A card database can be searched in several ways. Figure 3.8 shows a search by keyword using the keyword “java”. And Figure 3.9 shows what is displayed when the search result is highlighted and the “Display More Information” button is clicked.





Figure 3.8: Searching for keyword “java”



The image shows a screenshot of a library card interface. The window title is "Card for: JAVA-FLANAGAN-1: JAVA IN A NUTSHELL: A DESKTOP QUICK RE". The card has a yellow header with the title "Card for: JAVA-FLANAGAN-1: JAVA IN A NUTSHELL: A DESKTOP QUICK RE". Below the header, the card is divided into several sections: "Key:", "Title:", "Author:", "Subject:", "Media:", "Location:", "Published By:", "Edition:", and "Description:". Each section contains text or a form field. At the bottom, there are three buttons: "Print Card", "Dismiss", and "Help".

Key:	JAVA-FLANAGAN-1				
Title:	JAVA IN A NUTSHELL: A DESKTOP QUICK REFERENCE FOR JAVA PROGRAMMERS (NUTSHELL HANDBOOKS)				
Author:	DAVID FLANAGAN				
Subject:	JAVA				
Media:	Paperback, Book				
Location:	Computer Shed				
Published By:	O'Reilly Media	Or		In the year	1996
Edition:	1				
Description:	<p>DeveyDecimalNumber 005.133 NumberOfPages 460</p> <p>A good reference for those already experienced in Java</p> <p>Much like "Webmaster in a Nutshell", this book is a reference and should not be bought as a learning tool. Perhaps if you have spent years in C, this would provide a quick evaluation of the similarities and differences between the two. Otherwise, the first few chapters are an inadequate introduction to the language. In short, this is the book to get when you want to reference something you have already learned, not the place to begin learning it. That said, you might find it worthwhile to check out ORA's more in-depth volumes detailing specific aspects of the language(threads, , AWT, etc...).</p>				

Print Card Dismiss Help

Figure 3.9: More information about Java-Flanagan-1

Chapter 4

Help

This is the on-line help system. It provides access to the complete reference manual and the program tutorial. The left sidebar contains a complete table of contents, with links to all of the main sections of the on-line documentation.

This help window contains some basic navigation features. There are buttons for traversing the history stack and searching the text in the help window itself. There are also key bindings within the help window itself:

s Search forward. Searches forward in the text for the next occurrence of the specified text.

r Search backward. Searches backward in the text for the next occurrence of the specified text.

f History forward. Goes to the next page in the history stack.

b History backward. Goes to the previous page in the history stack.

Tab Next link. Goes to the next hyper link.

Control-Tab Previous link. Goes to the previous hyper link.

Version

System version is 3.0b3.

Copying

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that

you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING

OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.